

2 & 3 ISO 10360-13 /
CNAS
1.9



2

2.1

2.2

2

सिद्ध

1		$\geq 4200 \text{ mm}$	
2		$\geq 25 \text{ m}^3$	
3		$\geq 2 \times 500$	
4		$\geq 100 \text{ fps}$	
5	()	$\leq 0.044 \text{ mm} + 0.015 \text{ mm/m}$	
6		Class	
7		≥ 2	
8			

4.3

1		$\leq 0.03 \text{ mm}$	
2		$\leq 0.072\text{mm}$	CNAS /
3		≥ 4000000 /	
4		Class	
5		≥ 34	
6		≥ 17	
7		≥ 1	

8		$\geq 500 \text{ mm} \times 600 \text{ mm}$	
9		$\geq 400 \text{ mm}$	
10		$\leq 1.5 \text{ kg}$	
11			
12		≥ 2 /	
13	AI		
14			
15		$\leq 1 \text{ mm}$	

4.4

1	$\leq 0.030 \text{ mm}$ ISO 10360
2	$\geq 4200 \text{ mm}$
3	$\leq 0.072 \text{ mm}$ CNAS /
4	
5	

6		≤0.8	
7			
8			

4.5

4.5.1

PolyWorks

3		NVIDIA RTX PRO 3000 12G	
4		2TB PCIe 4.0 NVMe	
5		16 2K	
6		2 USB 3.2 Gen2 1 HDMI 2.1 WiFi 6	/ 1
		512GB USB3.0 ≥ 500MB/s	

4.5.3

BIOS

4.6.1



4.6.2

4.6.3

4.6.4

4.6.5

4.7

и

6


6.1


6.2

6.3

6.4

7





5	√	√	
6	√	√	/
7	√	√	
8	ξ		

9.4